

MAINTENANCE SCHEDULE GUIDE

Cali Classic 125



Item	Check Items	Maintenance kilometer miles	0KM	Every 1000KM	Every 3000KM	Every 6000KM	Every 12000KM	Remarks
		Maintenance Interval	OMI	620MI	1860MI	3720MI	7440MI	
			NEW	1 Month	3 Months	6 Months	1 Year	
1	Air cleaner element (Remark)		I	C		R(paper)	R(sponge)	
2	Air cleaner		I					
3	Oil filter (Screen)		C			C		
4	Engine oil		R	Replacement every 620MI or 1000KM				
5	Tire, pressure		I	I				
6	Battery		I	I				
7	Spark plug		I		I		R	
8	Carburetor (idle speed)		I			I		
9	Steering bearing and handles		I		I			
10	Check transmission for leakage		I	I				
11	Check crankcase for leakage		I	I				
12	Transmission oil		R	Replacement every 3100MI or 5000KM 5 months				
13	Drive belt/roller					I	R	
14	Throttle valve operation and cable		I	I				
15	Engine bolts and nuts		I		I			
16	Cylinderhead, cylinder, and piston					I		
17	Exhaust system/cleaning carbon					I		
18	Cam Chain/ignition time		I		I			
19	Valve clearance		I			I		
20	Shock absorbers		I			I		
21	Front/rear suspension		I			I		
22	Main/side stands		I			I/L		
23	Crankcase Blow-by system(PCV)		I		I			
24	Clutch disk					I		
25	Brake mechanism/brake lining (pad)		I	I				
26	Bolts/nuts for each components		I	I				

☆The above maintenance schedule is established by taking the monthly 620 miles or 1000 kilometers as a reference which ever comes first.

⊗Have your motorcycle checked and adjusted periodically by your Authorized Dealer or Franchised Dealer to maintain the motorcycle at the optimum condition.

Code: I ~ Inspection, cleaning, and adjustment R ~ Replacement

C ~ Cleaning (replaced if necessary) L ~ Lubrication

Remark: 1. Clean or replace the air cleaner element more often when the motorcycle is operated on dusty roads or in the Heavily- polluted environment.

2. Maintenance should be performed more often if the motorcycle is frequently operated in high speed and after the motorcycle has accumulated a higher mileage.

[Notes in the remarks are used to indicate the applicable models.]

0 MILES OR NEW PURCHASE

	Code	Maintenance Items
_____	I	Air cleaner element
_____	I	Air cleaner
_____	C	Oil filter (screen)
_____	R	Engine Oil
_____	I	Tire, pressure
_____	I	Battery
_____	I	Spark plug
_____	I	Carburetor (idle speed)
_____	I	Steering bearing and handles
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Engine bolts and nuts
_____	I	Cam chain/ignition time
_____	I	Valve clearance
_____	I	Shock absorbers
_____	I	Front/rear suspension
_____	I	Main/side stands
_____	I	Crankcase blow-by system (PCV)
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

620 MILES OR 1 MONTH

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil
_____	I	Tire, pressure
_____	I	Battery
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

1240 MILES OR 2 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: ***Recommend to use synthetic motor oil for all future oil changes. changes.***

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

1860 MILES OR 3 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Spark plug
_____	I	Steering bearing and handles
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Engine bolts and nuts
_____	I	Cam chain/ignition time
_____	I	Crankcase blow-by system (PCV)
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
C - cleaning (replace if necessary)
R - replacement
L - lubrication

Note: **Recommend to use synthetic motor oil for all future oil changes.**

Dealer Verified Service Stamp

Dealership Name:	_____
Date:	_____
Milage:	_____
Technician's Name:	_____
Technician's Signature:	_____

2480 MILES OR 4 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: ***Recommend to use synthetic motor oil for all future oil changes. changes.***

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

3100 MILES OR 5 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: ***Recommend to use synthetic motor oil for all future oil changes. changes.***

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

3720 MILES OR 6 MONTHS

	Code	Maintenance Items
_____	R	Air cleaner element
_____	C	Oil filter (screen)
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Spark plug
_____	I	Carburetor (idle speed)
_____	I	Steering bearing and handles
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Drive belt/roller
_____	I	Throttle valve operation and cable
_____	I	Engine bolts and nuts
_____	I	Cylinder head, cylinder, and piston
_____	I	Exhaust system/cleaning carbon
_____	I	Cam chain/ignition time
_____	I	Valve clearance
_____	I	Shock absorbers
_____	I	Front/rear suspension
_____	I/L	Main/side stands
_____	I	Crankcase blow-by system (PCV)
_____	I	Clutch disk
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: **Recommend to use synthetic motor oil for all future oil changes. changes.**

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

4340 MILES OR 7 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: ***Recommend to use synthetic motor oil for all future oil changes. changes.***

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

4960 MILES OR 8 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: ***Recommend to use synthetic motor oil for all future oil changes. changes.***

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

5580 MILES OR 9 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Spark plug
_____	I	Steering bearing and handles
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Engine bolts and nuts
_____	I	Cam chain/ignition time
_____	I	Crankcase blow-by system (PCV)
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
C - cleaning (replace if necessary)
R - replacement
L - lubrication

Note: **Recommend to use synthetic motor oil for all future oil changes.**

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

6200 MILES OR 10 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: ***Recommend to use synthetic motor oil for all future oil changes. changes.***

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____

6820 MILES OR 11 MONTHS

	Code	Maintenance Items
_____	C	Air cleaner element
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	I	Throttle valve operation and cable
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: ***Recommend to use synthetic motor oil for all future oil changes. changes.***

Dealer Verified Service Stamp

Dealership Name: _____
Date: _____
Milage: _____
Technician's Name: _____
Technician's Signature: _____

7440 MILES OR 12 MONTHS

	Code	Maintenance Items
_____	R	Air cleaner element
_____	C	Oil filter (screen)
_____	R	Engine Oil (use synthetic motor oil)
_____	I	Tire, pressure
_____	I	Battery
_____	R	Spark plug
_____	I	Carburetor (idle speed)
_____	I	Steering bearing and handles
_____	I	Check transmission for leakage
_____	I	Check crankcase for leakage
_____	R	Transmission oil
_____	R	Drive belt/roller
_____	I	Throttle valve operation and cable
_____	I	Engine bolts and nuts
_____	I	Cylinder head, cylinder, and piston
_____	I	Exhaust system/cleaning carbon
_____	I	Cam chain/ignition time
_____	I	Valve clearance
_____	I	Shock absorbers
_____	I	Front/rear suspension
_____	I/L	Main/side stands
_____	I	Crankcase blow-by system (PCV)
_____	I	Clutch disk
_____	I	Brake mechanism/brake lining (pad)
_____	I	Bolts/nuts for each components

Code: I - inspection, cleaning and adjustment
 C - cleaning (replace if necessary)
 R - replacement
 L - lubrication

Note: **Recommend to use synthetic motor oil for all future oil changes. changes.**

Dealer Verified Service Stamp

Dealership Name: _____

Date: _____

Milage: _____

Technician's Name: _____

Technician's Signature: _____